

IMAGE CLIP® Konzert T's Heat Transfer Paper

IMAGE CLIP® Konzert T's Heat Transfer Papers are designed for the heat transfer of a white image to pastel, dark and bright colored items including: T-shirts, handbags, mouse pads, coasters, leather articles, art papers, etc. IMAGE CLIP® Konzert T's works well on cotton, 50-50 blends and polyester. There is no need to trim the paper. IMAGE CLIP® Konzert T's Heat Transfer Paper is self-weeding and leaves no background plastic polymer. Choose fabrics that have a tight weave.

PRINTING

1. Mirror the image.
2. Laser print the coated side of the paper identified as the Imaging Sheet.
3. IMAGE CLIP® Konzert-T's Imaging Sheet should be fed into the copier or printer with the short dimension first (grain long). For best fusing results use a heavy paper setting.

TRANSFER

Use a Commercial Heat Press

1. Marry the imaged sheet to the transfer sheet. This will apply the transfer coating to the imaged area.
Press: **20 seconds at 250°F using medium pressure**
Separate the papers while still hot.
2. Place the imaged sheet face down onto the shirt or other substrate.
Press: **25 seconds at 375°F using heavy pressure**
Cool before peeling. If desired, stretch immediately after peeling.

WASHING INSTRUCTIONS

Turn garment inside out and wash in cold water using a mild detergent. Do not use bleach. Dry on low heat setting. Do not iron directly on the transferred area.

STORAGE AND HANDLING OF IMAGE CLIP® HEAT TRANSFER PAPERS

Store in a cool, dry area and do not remove from carton or poly bag until you are ready to use.

Refer to www.technicalproducts.com/heattransfer for information on our entire line of heat transfer products.



LASER

RUNS IN MOST NEWER
TECHNOLOGY OIL OR
OIL-LESS PRINTERS



**DARK and
BRIGHT COLOR**



NO HAND IRON

1st Pressing	
TEMPERATURE	250°
PRESSURE	Medium
TIME	20 seconds
2nd Pressing	
TEMPERATURE	375°
PRESSURE	Heavy
TIME	25 seconds

IMPORTANT

We thoroughly test each of our products on various substrates using different transfer equipment. However, it is impossible for us to duplicate all variables using all substrates and transfer equipment. Therefore, it is essential that you test the paper prior to production using your equipment, methods, and substrate material. Heat presses vary in accuracy. Conduct tests to determine the best time and temperature to use with your equipment. The Seller's and Manufacturer's maximum obligation shall be to replace any paper that has proven to be defective. Neither the Seller nor the Manufacturer shall be liable for any injury, direct or consequential, arising out of the use of, or inability to use this paper.